

GO GUICE OFFSHORE

150' CLASS DP1 MULTI-PURPOSE AND SUBSEA SUPPORT VESSEL
M/V GO AMERICA



GO GUICE OFFSHORE

www.GuiceOffshore.com

Sales 985-273-2769 / Operations 337-889-0220

M/V GO AMERICA 150' CLASS DP1 MULTI-PURPOSE AND SUBSEA SUPPORT VESSEL

HULL SPECIFICATIONS

Length:	150'
Beam:	36'
Depth:	11' 6"
Draft Max:	10'
Clear Deck:	90' x 30'

CAPACITIES

Deck Cargo:	330 LT
Potable Water:	14,982 usg
Fuel:	31,497 usg / 77,163 usg* / 97,735 usg**
Ballast Water:	75,928 usg
Liquid Mud:	1,087 bbls
Methanol:	41,572 usg

* Fuel capacity when utilizing Liquid Mud tanks

** Fuel capacity when utilizing Liquid Mud and Methanol tanks

PROPULSION

Main Engines (New 2014):	2 x Cummins KTA 38MO
Total HP:	1,700 HP
Reduction Gears:	Twin Disc
Generators:	2 x 99kW Cummins
Bow Thruster:	360 HP, Diesel Driven

ACCOMMODATIONS

Certified to Carry:	20
Cabins / Berths:	6 / 18 + Passenger Lounge
Walk in Cooler:	Yes
Commercial Ice Maker:	Yes

ELECTRONICS

Radars:	Yes x 2
Auto Pilot:	Beier Integrated Systems
GPS (Navigation):	Yes
Echo Sounder:	Yes x 1
VHF Radios:	Yes x 3
Dynamic Positioning:	Beier Integrated Systems
DP Reference System:	GPS
Electronic Plotter:	Yes
Sat Communication:	Starlink
Sat Television:	DirectTV

DOCUMENTATION



US Flag:	USCG, ON 1120138
Class:	ABS Loadline, USCG Sub "L" & "I"
Builder:	Bollinger Shipyards
Delivery Date:	2001

SPECIAL EQUIPMENT


Fire Monitor:	Yes
Deck Cargo Sockets:	240 in a NATO Grid Pattern, 2' x 2'
Crane:	Palfinger PK-32002-M Knuckleboom (see lifting capacity diagram)
A-Frame:	Transom Mounted, 11t with option of 15t with 2-Part Rigging,
Winch:	Man-rated Braden CH2804 Winch
HPU for Deck Gear:	Twin (redundant) 50-Hp Hydraulic Power Unit configured w/cross-over manifold to allow either HPU to serve Crane, A-Frame or both
Moonpool:	27" Inside Diameter (Transponder pole, submersible tracking and comms available upon request)
Steering Gear:	Dual Independent, Dual Ram Rudders Integrated with DP controls and Redundant HPU
Removable Bulwarks	10' Starboard side, 3' Port side
FRC w/ Davit:	USCG / SOLAS 4m Rescue Boat with 40 hp outboard

GO GUICE OFFSHORE


M/V GO AMERICA



MAIN DECK ARRANGEMENT



FOCSLE DECK



PILOTHOUSE ARRANGEMENT

GO GUICE OFFSHORE

M/V GO AMERICA

